

Work Order ID 56754

March 8, 2010 10:00:24 AM

Page 1

Item ID: D3762-1

Accept

Setup Start

Revision ID:

Stop

Item Name: Fitting

Start Date: 3/08/10 Start Qty: 16.00

Cust Item ID:

Required Date: 3/10/10 Req'd Qty: 16.00

Customer:

Reference:

Approvals:

Process Plan:

Date:

Tooling:

Date:

Run Start

QC:

Date:

SPC (Y/N):

Date:

Stop

Sequence ID/
Work Center ID

Operation
Description

Set Up/
Run Hours

Draw
Number

Draw
Rev.

Plan
Code

Accept
Qty

Reject
Qty

Reject
Number

Insp.
Stamp

Draw Nbr

Revision Nbr

D3762

Rev A

100

0.00



DOOSAN LATHE

Doosan

Memo

0.00

Doosan Lathe

1- Turn as per Folio FA748 Rev: A & Dwg D3762 Rev: A
2-Deburr per dwg D3762

SA 10/03/10

17 ✓

110

0.00



QC2- Inspect parts off machine FAI/FAIB

QC

Memo

0.00

Quality Control

SA 10/03/10

17 ✓

120

0.00



QC8- Inspect parts - second check

QC

Memo

0.00

Quality Control

SA 10/03/10

17 ✓

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 56754

March 8, 2010 10:00:24 AM



Page 2

Item ID: D3762-1

Accept



Setup Start



Revision ID:

Stop



Item Name: Fitting

Start Date: 3/08/10 Start Qty: 16.00



Cust Item ID:

Required Date: 3/10/10 Req'd Qty: 16.00



Customer:

Reference:

Run Start



Approvals: Process Plan: Date:

Tooling: Date:

Stop



QC: Date:

SPC (Y/N): Date:

Sequence ID/
Work Center ID

Operation
Description

Set Up/
Run Hours

Draw
Number

Draw
Rev.

Plan
Code

Accept
Qty

Reject
Qty

Reject
Number

Insp.
Stamp

130

Identify as per dwg & Stock Location: *250*

0.00



Packaging

Memo

0.00

Packaging

10/14/10

140

QC21- Final Inspection - Work Order Release

0.00



QC

Memo

0.00

Quality Control

10/03/11

mf

10-3-11

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

March 8, 2010 10:00:23 AM

Page 1

Work Order ID: 56754



Parent Item: D3762-1



Parent Item Name: Fitting

Start Date: 3/08/10

Required Date: 3/10/10

Comments: IPP Rev:A 08-05-23 new issue DD verified by:ec
IPP Rev:B 08-06-17 rev.A as per dwg DD verified by:EC

Start Qty: 16.00

Required Qty: 16.00

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Remaining Qty To Pick	Qty Issued	Date Issued	Status
M6061T6R1.000		Purchased	No			100	f	48.0524	2.6947			



ROUND BAR 1.00"

<u>Warehouse</u>	<u>Loc Qty</u>	<u>Loc Code</u>
<u>Location</u>		
Main Warehouse		
i MAT	48.0524	
108876	8.355	
110966	11.6274	
- 113457	28.07	

2.5 PL SA 10/03/10




W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



ITEM NO.	PART NUMBER	DESCRIPTION	QTY. (-041)
1	D3762-3	TUBE	1
2	D3762-1	FITTING	2


D3762-041 FRONT LEG FITTING ASSY

1056754

RELEASED
08-06-16/17

- NOTES:**
- 1) MATERIAL: N/A
 - 2) FINISH: CHEMICAL CONVERSION COAT ASSEMBLY PER DART QSI 005 4.1
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: N/A
 - 7) WEIGHT: 0.05 lbs
 - 8) WELD: PER DART QSI 004

A		NEW ISSUE		HS	08.06.04
REV.		DESCRIPTION		BY	DATE
DESIGN	HS	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA			
DRAWN	HS				
CHECKED		DRAWING NO.	REV. A		
MFG. APPR.		D3762	SHEET 1 OF 3		
APPROVED		TITLE	SCALE		
DE APPR.		FRONT LEG FITTING	NTS		
DATE		08.06.04			
<small>COPYRIGHT © 2008 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>					



D3762-1 FITTING





NOTES:

- 1) MATERIAL: 6061-T6 (OR 6061-T651/T6510/T6511/T62) ALUMINUM ROUND BAR PER AMS-QQ-A-225/8 (OR AMS 4117/4128/4115/4116) OR AMS-QQ-A-200/8 (OR AMS 4180) (REF DART SPEC. M6061T6R)
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.02 lbs

DESIGN	HS	DART AEROSPACE LTD	
DRAWN	HS	HAWKESBURY, ONTARIO, CANADA	
CHECKED	AM	DRAWING NO.	REV. A
MFG. APPR.	AM	D3762	SHEET 2 OF 3
APPROVED	AM	TITLE	SCALE
DE APPR.	AM	FRONT LEG FITTING	NTS
DATE	08.06.04	COPYRIGHT © 2008 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE REPRODUCED OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			

RELEASED
08-06-16

WLB 56754



D3762-3 TUBE

Handwritten signature: 50784

RELEASED
08-06-16/10

- NOTES:**
- 1) MATERIAL: 6061-T6 (OR 6061-T651/T6510/T6511/T62) ALUMINUM ROUND BAR PER AMS-QQ-A-225/8 (OR AMS 4117/4128/4115/4116) OR PER AMS-QQ-A-200/8 (OR AMS 4160) (REF DART SPEC M6061T6R)
 - 2) FINISH: NONE
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: N/A
 - 7) WEIGHT: 0.01 lbs

DESIGN	HS	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	HS		
CHECKED	<i>[Signature]</i>	DRAWING NO. D3762	REV. A
MFG. APPR.	<i>[Signature]</i>		SHEET 3 OF 3
APPROVED	<i>[Signature]</i>	TITLE FRONT LEG FITTING	SCALE NTS
DE APPR.	<i>[Signature]</i>	COPYRIGHT © 2008 BY DART AEROSPACE LTD	
DATE	08.06.04	THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	